Dr. Donald Adams
Consultant

Dr. Eric R. Allen
University of Florida

Ms. Larisa Altshul
Harvard School of Public Health

Dr. Feng An
University of California, Riverside

Dr. Julian Andelman
University of Pittsburgh

Dr. Larry G. Anderson
University of Colorado

Dr. R.P Angle
Alberta Department of the Environment

Dr. Bill Apel
INEL

Dr. Benedict Aurian-Blajeni
ChemLogic

Dr. James W. Axley
Yale University

Ms. Tina Bahadori
Harvard School of Public Health

Dr. Basil Baltzis
New Jersey Institute of Technology

Dr. Edwin Barth
U.S. Environmental Protection Agency

Dr. David Bates
University of British Columbia

Dr. Terry Baxter
Northern Arizona University

Dr. Eric Bear
Case Western Reserve University

Professor Jaime Benitez
University of Puerto Rico

Dr. Roy Bennett
U.S. Environmental Protection Agency

Dr. Gilles Bergametti
Faculté des Sciences, Centre Multidisciplinaire

Dr. Alex Bianchi
Exxon Chemical Limited

Dr. Irwin Billick
Gas Research Institute

Dr. Gary A. Bishop
University of Denver

Dr. Debra L. Bisson
Radian Corporation

Dr. Pratim Biswas
University of Cincinnati

Dr. Gabriel Bitton
University of Florida

Dr. Francis Black
U.S. Environmental Protection Agency

Dr. T.J. Blasing
Oak Ridge National Laboratory

Dr. Don Blumenthal
Sonoma Technology

Dr. Hinrich L. Bohn
Bohn Biofilter Corporation

Dr. Ronald Bosch
Harvard School of Public Health

Dr. T.R. Bott
University of Birmingham

Mr. James Bowers
U.S. Army Dugway Proving Ground

Mr. John Braithwaite
Indian Refining

Dr. Robert Braman
University of South Florida

Dr. Michael Brauer
University of British Columbia

Dr. Terry Brennan
Camroden Associates, Inc.

Dr. Vincent T. Breslin
SUNY at Stony Brook

Dr. Jeff Brook
Air Quality Processes Research Division

Dr. Harriet Burge
Harvard School of Public Health

Dr. David Burmaster
Alceon Corporation

Dr. Steven Cadle
General Motors

Dr. Steven H. Cadle
General Motors

Dr. Thomas Cahill
University of California, Davis

Dr. Gregory J. Carroll
U.S Environmental Protection Agency

Dr. William Carter
University of California, Riverside

Dr. William Carter
University of California, Riverside

Dr. T.Y. Chang
Ford Motor Company

Dr. James Chang-Chuan Chan
College of Public Health, National Taiwan University

Dr. Robert Chapman
U.S. Environmental Protection Agency

Dr. Thomas Church
University of Delaware

Dr. Aaron Cohen
Health Effects Institute

Dr. R. Coleman
Alberta Environmental Centre

Dr. Andrew Comrie
University of Arizona

Dr. John Cooper
TRC Environmental

Mr. James Cudahy
Focus Environmental

Dr. Alison Cullen
Harvard School of Public Health

Mr. Stuart M. Dalton
Electric Power Research Institute

Dr. Purnendu Dasgupta
Texas Tech University

Dr. Wayne Davis
University of Tennessee

Dr. Louis DeFilippi
Allied Signal, Inc.

Dr. Clyde Dempsey
U.S. Environmental Protection Agency

Dr. Seshasayi Dharmavaram
Dupont

Dr. Rebecca M. Dickhut
Virginia Institute of Marine Science

Dr. Russell Dills
University of Washington

Ms. Kumkum Dilwali
Harvard School of Public Health

Dr. Basil Dimitriades
U.S. Environmental Protection Agency

Dr. Edward Dismukes
Southern Research Institute

Dr. Donald Adams
Consultant

Dr. Eric R. Allen
University of Florida

Ms. Larisa Altshul
Harvard School of Public Health

Dr. Feng An
University of California, Riverside

Dr. Julian Andelman
University of Pittsburgh

Dr. Larry G. Anderson
University of Colorado

Dr. R.P Angle
Alberta Department of the Environment

Dr. Bill Apel
INEL

Dr. Benedict Aurian-Blajeni
ChemLogic

Dr. James W. Axley
Yale University

Ms. Tina Bahadori
Harvard School of Public Health

Dr. Basil Baltzis
New Jersey Institute of Technology

Dr. Edwin Barth
U.S. Environmental Protection Agency

Dr. David Bates
University of British Columbia

Dr. Terry Baxter
Northern Arizona University

Dr. Eric Bear
Case Western Reserve University

Professor Jaime Benitez
University of Puerto Rico

Dr. Roy Bennett
U.S. Environmental Protection Agency

Dr. Gilles Bergametti
Faculté des Sciences, Centre Multidisciplinaire

Dr. Alex Bianchi
Exxon Chemical Limited

Dr. Irwin Billick
Gas Research Institute

Dr. Gary A. Bishop
University of Denver

Dr. Debra L. Bisson
Radian Corporation

Dr. Pratim Biswas
University of Cincinnati

Dr. Gabriel Bitton
University of Florida

Dr. Francis Black
U.S. Environmental Protection Agency

Dr. T.J. Blasing
Oak Ridge National Laboratory

Dr. Don Blumenthal
Sonoma Technology

Dr. Hinrich L. Bohn
Bohn Biofilter Corporation

Dr. Ronald Bosch
Harvard School of Public Health

Dr. T.R. Bott
University of Birmingham

Mr. James Bowers
U.S. Army Dugway Proving Ground

Mr. John Braithwaite
Indian Refining

Dr. Robert Braman
University of South Florida

Dr. Michael Brauer
University of British Columbia

Dr. Terry Brennan
Camroden Associates, Inc.

Dr. Vincent T. Breslin
SUNY at Stony Brook

Dr. Jeff Brook
Air Quality Processes Research Division

Dr. Harriet Burge
Harvard School of Public Health

Dr. David Burmaster
Alceon Corporation

Dr. Steven Cadle
General Motors

Dr. Steven H. Cadle
General Motors

Dr. Thomas Cahill
University of California, Davis

Dr. Gregory J. Carroll
U.S Environmental Protection Agency

Dr. William Carter
University of California, Riverside

Dr. William Carter
University of California, Riverside

Dr. T.Y. Chang
Ford Motor Company

Dr. James Chang-Chuan Chan
College of Public Health, National Taiwan University

Dr. Robert Chapman
U.S. Environmental Protection Agency

Dr. Thomas Church
University of Delaware

Dr. Aaron Cohen
Health Effects Institute

Dr. R. Coleman
Alberta Environmental Centre

Dr. Andrew Comrie
University of Arizona

Dr. John Cooper
TRC Environmental

Mr. James Cudahy
Focus Environmental

Dr. Alison Cullen
Harvard School of Public Health

Mr. Stuart M. Dalton
Electric Power Research Institute

Dr. Purnendu Dasgupta
Texas Tech University

Dr. Wayne Davis
University of Tennessee

Dr. Louis DeFilippi
Allied Signal, Inc.

Dr. Clyde Dempsey
U.S. Environmental Protection Agency

Dr. Seshasayi Dharmavaram
Dupont

Dr. Rebecca M. Dickhut
Virginia Institute of Marine Science

Dr. Russell Dills
University of Washington

Ms. Kumkum Dilwali
Harvard School of Public Health

Dr. Basil Dimitriades
U.S. Environmental Protection Agency

Dr. Edward Dismukes
Southern Research Institute

Dr. Luis Dominguez
R.J. Reynolds Tobacco Company

Mr. Colin Dougald
CND Environmental

Dr. Delbert Eatough
Brigham Young University

Dr. Brian K. Eder
U.S. Environmental Protection Agency

Dr. Bruce Egan
Woodward-Clyde

Dr. Donald Elias
RTP Environmental Associates, Inc.

Dr. Tom Ellestad
U.S. Environmental Protection Agency

Mr. Steve Ellis
Arthur D. Little

Dr. David S. Ensor
Research Triangle Institute

Dr. Sarina J. Ergas
University of Massachusetts

Dr. Ferran Espiell
Universidad de Barcelona

Dr. John Evans
Harvard School of Public Health

Dr. David Fairley
BAAQMD

Dr. Melvin W. First
Harvard School of Public Health

Dr. Peter G. Flachsbart
University of Hawaii

Dr. Tim Ford
Harvard School of Public Health

Mr. Ray Forrester
The Forrester Group

Dr. Peter Fox
Arizona State University

Dr. Marjorie Franklin
Franklin Associates, Limited

Mr. Harry Freeman
U.S. Environmental Protection Agency

Dr. Christopher Frey
North Carolina State University

Dr. J.D. Fuentes
Environment Canada

Dr. John Furstenberg
Envirex Limited

Dr. Peter Gabele
U.S. EPA

Dr. Ashok Gadgil
Lawrence Berkeley Laboratory

Dr. J. Gebhart
Gesellschaft für Strahlen—und Umweltforschung

Dr. Kristi Gebhart
Colorado State University

Dr. Panos Georgospoulos
EOHSI

Ms. Gretchen Gilmore
Eastman Kodak Company

Dr. Henry Gong
University of Southern California

Dr. Sidney Gordon
Battelle

Dr. Robert Gorse
Ford Motor Company

Dr. David Gossman
Gossman Consulting, Inc.

Dr. Peter J. Groblicki
General Motors

Dr. Lara Gundel
Lawrence Berkeley Laboratory

Dr. Markus Hangartner
Swiss Federal Institute of Technology

Mr. Dave Harlos
Environmental Science & Engineering, Inc.

Dr. Joseph Harrington
Harvard School of Public Health

Dr. Allyson Hartzell
Digital Equipment Corporation

Dr. Floyd Hasselriis
ASME Solid Waste Processing Division

Dr. Neil Hawkins
Dow Chemical Corporation

Mr. Angelo Hazifotis
SEMASS

Dr. Robert C. Healey
Director, Environmental Affairs

Dr. Walter Heck
USDA ARS NCSU

Professor John Heywood
Massachusetts Institute of Technology

Dr. Russell Highsmith
U.S. Environmental Protection Agency

Dr. Lynn Hildemann
Stanford University

Dr. Peter Hombach
BioDigester Technologies, Inc.

Mr. George Huffman
U.S. Environmental Protection Agency

Dr. Joseph Hughes
Rice University

Dr. Shamsuddin Ilias
North Carolina Agricultural and Technical State University

Dr. R.K.M. Jayanty
Research Triangle Institute

Dr. Harvey Jeffries
University of North Carolina at Chapel Hill

Dr. Paul A. Jensen
National Institute for Occupational Safety and Health

Dr. Walter John
Particle Science

Dr. Ted Johnson
International Technology Corporation

Mr. Steve Johnson
PSI

Dr. Wojciech Jozewicz
Acurex Environmental Corporation

Dr. Kazuhiko Kabayashi
National Institute of Agro-Environmental Science

Dr. Edward W. Kaiser
Ford Motor Company

Mr. Victor Kalcevic
Consultant

Dr. David Keen
Radian Corporation

Dr. Timothy Keener
University of Cincinnati

Dr. Thomas J. Kelly
Battelle

Dr. Karl Kelsey
Harvard School of Public Health

Dr. Carl S. Kirby
Virginia Polytechnic Institute and State University

Dr. Vicki Kitsa
Consultant

Dr. Ken Knapp
U.S. Environmental Protection Agency

Dr. Kenneth Knapp
U.S. Environmental Protection Agency

Dr. Suzanne Knauf
Kessler & Luch GmbH

Dr. Jane Koenig
University of Washington

Dr. Catherine Koshland
University of California, Berkeley

Dr. Michael Kosusko
U.S. Environmental Protection Agency

Dr. S.V. Krishnan
Acurex Environmental Corporation

Dr. Sagar V. Krupa
University of Minnesota

Dr. Haluk Özkaynak
Harvard School of Public Health

Dr. Bill Lambert
University of New Mexico Medical Center

Dr. Robert Lang
CA Poly SLO

Mr. Ralph Langemeier
U.S. Environmental Protection Agency

Dr. Susan Larson
University of Illinois

Dr. Joy Lawrence
Harvard School of Public Health

Dr. Douglas Lawson
Desert Research Institute

Dr. John Lees
Allis Mineral Systems, Inc.

Dr. Paul Lemieux
U.S. Environmental Protection Agency

Dr. Jim Lents
South Coast Air Quality District

Mr. Gregory Leonardos
Environmental Odor Consultant

Dr. Gero Leson
Environmental Consulting

Dr. Yiannis Leventis
Northeastern University

Dr. Charles Lewis
U.S. Environmental Protection Agency

Dr. Joann Lighty
University of Utah

Dr. Pedro Lilienfeld
MIE, Inc.

Dr. William Linak
U.S. Environmental Protection Agency

Dr. Paul Lioy
EOHSI

Dr. P.K.T. Liu
Media and Process Technology, Inc.

Dr. Sally Liu
University of South Carolina

Dr. Peter Loftus
Arthur D. Little, Inc.

Mr. Gil Long
ENSR Consulting & Engineering

Dr. Fred Lurmann
Sonoma Technology Inc.

Mr. Christopher Lutes
Acurex Environmental

Dr. Janet Macher
California Department of Health Services

Dr. David MacIntosh
Harvard School of Public Health

Dr. David Mage
U.S. Environmental Protection Agency

Dr. William Manning
University of Massachusetts, Amherst

Mr. Greg McCartney
OHM Corporation

Dr. William McClenny
U.S. Environmental Protection Agency

Dr. William McClenny
U.S. Environmental Protection Agency

Dr. Thomas R. McCurdy
U.S. Environmental Protection Agency

Dr. William McDonnell
U.S. Environmental Protection Agency

Mr. John F. McGahan
McGahan Associates

Dr. Thomas McKone
Lawrence Livermore National Laboratory

Dr. Thomas McKone
Lawrence Livermore National Laboratory

Ms. Beth McMinn
TRC Environmental Corporation

Dr. Amir Metry
EMR

Dr. Gerhard Meyer
Battelle

Dr. Jana Milford
University of Colorado

Dr. Alison Miller
Texas Natural Resource Conservation Commission

Dr. C. Andrew Miller
U.S. Environmental Protection Agency

Dr. Gabe Miller
New York University

Dr. P.K. Misra
Air Resources Branch

Dr. Som Mitra
New Jersey Institute of Technology

Dr. Volker Mohney
State University of New York at Albany

Dr. Molburg
Argonne National Laboratory

Dr. L.J. Muzio
Fossil Energy Research Corporation

Dr. Carl Nesbitt
Michigan Technological University

Dr. Leonard Newman
Brookhaven National Laboratory

Mr. Walter Niessen
Camp Dresser McKee

Dr. Babu Nott
Electric Power Research Institute

Dr. Tihomir Novakov
Lawrence Berkeley Laboratory

Dr. Ilhan Olmez
Massachusetts Institute of Technology

Dr. John Ondov
University of Maryland, College Park

Mr. Timothy Oppelt
U.S. Environmental Protection Agency

Dr. Susan Perlin
U.S. Environmental Protection Agency

Dr. Ronald Petersen
CPP, Inc.

Dr. Max R. Peterson
Research Triangle Institute

Mr. Robert Peterson
Robert Peterson Consulting

Dr. Mark A. Petrich
Merk & Company

Dr. Floyd Pfeffer
DRE Technologies, Inc.

Dr. William Pierson
Desert Research Institute

Dr. William Pierson
Desert Research Institute

Dr. Michael J. Pilat
University of Washington

Dr. Joe Pinto
U.S. Environmental Protection Agency

Dr. Marc Pitchford
U.S. Environmental Protection Agency

Mr. Joachim Pleil
U.S. Environmental Protection Agency

Dr. Robert Pojasek
GEI Consultants

Dr. Karen Polenske
Massachusetts Institute of Technology

Dr. Sotiris Pratsinis
University of Cincinnati

Dr. William Prokop
Prokop Environmental Consulting

Dr. S.T. Rao
New York State Department of Env. Conservation

Dr. James Raymer
Research Triangle Institute

Dr. Rick Reiss
Sonoma Technology Inc.

Dr. Lorenz Rhomberg
Harvard School of Public Health

Dr. Teri Richardson
U.S. Environmental Protection Agency

Dr. Claus Riehle
Bayer A.G. Leverkusen/Germany

Dr. Bruce E. Rittmann
Northwestern University

Mr. Peter Roberts
Shell Research Limited

Dr. Jim Rouse
Terra Vac

Dr. Stephen Rudnick
Harvard School of Public Health

Dr. Russell
Carnegie Mellon University

Dr. George Russwurm
ManTech Environmental Technology, Inc.

Dr. David Ryan
University of Massachusetts, Lowell

Dr. Louise Ryan
Harvard School of Public Health

Dr. P. Barry Ryan
Harvard School of Public Health

Dr. Jonathan Samet
The Johns Hopkins University

Mr. Charles Sawyer
Eli Lilly and Company

Dr. Pradeep Saxena
Electric Power Research Institute

Dr. Peter Scheff
University of Illinois

Mr. Jay Scheffer
Boston Edison

Ms. Margo Schwab
U.S. Environmental Protection Agency

Dr. Woodrow Setzer
U.S. Environmental Protection Agency

Dr. Blaine Severin
Michigan Biotechnology Institute

Dr. Ken Sexton
University of Minnesota

Dr. Henry Shaw
New Jersey Institute of Technology

Dr. Roger Shaw
University of California, Davis

Dr. Paul B. Shepson
Purdue University

Dr. James Shine
Harvard School of Public Health

Dr. J.H. Siegell
Exxon Research and Engineering Co.

Dr. Christine Sloane
General Motors Research and Development Center

Dr. Robert Slott
Shell Development Company

Dr. Mitch Small
Carnegie Mellon University

Dr. Andy Smith
Harvard School of Public Health

Dr. William H. Snyder
U.S. Environmental Protection Agency

Dr. George Sorial
University of Cincinnati

Dr. Leslie Sparks
U.S. Environmental Protection Agency

Dr. Jack Spengler
Harvard School of Public Health

Dr. Chester Spicer
Battelle Columbus Laboratories

Mr. Douglas E. Splitstone
Splitstone & Associates

Dr. Robert Stavins
John F. Kennedy School of Government

Dr. Donald Stedman
University of Denver

Dr. Evripidis Stefanou
University of Crete

Dr. Leonard Stockburger
U.S. Environmental Protection Agency

Dr. Patricia Styer
National Institute of Statistical Sciences

Dr. Regine Szewyk
Stockholm Department of Water Microbiology

Dr. Wladyslaw Szymanski
University of Vienna

Dr. Harold Taback
Hal Taback Company

Dr. Haider Taha
Lawrence Berkeley Laboratory

Dr. George Tchobanoglous
University of California, Davis

Dr. Louis J. Thibodeaux
Louisiana State University

Dr. George Thurston
New York University Medical Center

Dr. George Thurston
New York University Medical Center

Dr. Barbara Toole-O'Neil
Electric Power Research Institute

Dr. Ed Torres
Orange County Sanitation District

Mr. Ronald Turner
U.S. Environmental Protection Agency

Dr. Barbara Turpin
EOHSI

Dr. Julian Tyson
University of Massachusetts, Amherst

Dr. Mohit Uberoi
W.R. Grace & Company

Dr. Chris Uchrin
Rutgers University

Professor Peter Uden
University of Massachusetts

Dr. Samuel Vigil
California Poly. State University

Dr. Richard Vong
Oregon Sate University

Ms. Donna Vorhees
Harvard School of Public Health

Dr. Jaroslav Vostal
Consultant

Dr. Chris van Lith
ClairTech

Mr. Tom Wainman
EOHSI

Mr. Paul Wakim
American Petroleum Institute

Mr. Terry Walden
BP Oil

Dr. Jed Waldman
UMDNJ/Robert Wood Johnson and Medical School

Dr. Lance Wallace
U.S. Environmental Protection Agency

Dr. Mike Walters
Polaroid Corporation

Dr. Phil Weinberg
Massachusetts Department of Environmental Protection

Dr. Clifford Weisel
EOHSI

Dr. Tze Wen Chi
Consultant

Dr. Charles Weschler
Bellcore

Dr. Anthony Wexler
University of Delaware

Dr. Ming-Yen Wey
National Chung-Hsing University

Dr Warren White
Washington University

Dr. Todd Williams
E&A Environmental Consultants

Dr. Frank Wilshire
U.S. Environmental Protection Agency

Dr. Richard Wilson
Harvard University

Dr. William Wilson
U.S. Environmental Protection Agency

Dr. John Wood
Woodward-Clyde

Dr. Peter Wood
AEA Technology

Dr. David Wypij
Harvard School of Public Health

Dr. Ron Wyzga
Electric Power Research Institute

Dr. C.C. David Yao
SRI International

Dr. John E. Yocom
Environmental Consultant

Dr. Jehangir Zakaria
SEMASS

Dr. Michael Zelenka
U.S. Environmental Protection Agency

Dr. Rae Zimmerman
New York University

Dr. Ioannis Ziomas
Aristotle University of Thessaloniki

Dr. Igor Zurbenko
SUNYA

Dr. Roy Zweidinger
U.S. Environmental Protection Agency

Dr. Judith Zwicker
Remote Sensing Air, Inc.

Accuracy assessments
Statistical analysis of stationary source compliance test audit data, A, 83
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Acid deposition
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709

Acidic precipitation
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709

Acidity
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Aerosols
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Ultraviolet irradiance over Mexico City, 886
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Effectiveness of smokeless ashtrays, 494

Air pollution
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Ultraviolet irradiance over Mexico City, 886
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan area, 103
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811
Evaluation of trickle bed biofilter media for toluene removal, 801
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461
Assessment of ozone exposures in the greater metropolitan Toronto area, 223
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235
Observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Air pollution standards
Issues regarding the ozone air quality standards and the design value, 893
Ultraviolet irradiance over Mexico City, 886
Statistical analysis of stationary source compliance test audit data, A, 83
Air pollution and mortality: Issues and uncertainties, 0000

Air quality
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111
Determining temporal and spatial variations in ozone air quality, 57
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Air quality studies
Evaluation of trickle bed biofilter media for toluene removal, 801
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320
1995 critical review discussion: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 666

Air quality standards
Issues regarding the ozone air quality standards and the design value, 893
Emission reductions needed to meet the standard for ozone in southern California: Effect of boundary conditions, 899
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Air pollution and mortality: Issues and uncertainties, 949

Air toxics
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Evaluation of chemical exposures in the hazardous waste industry, 89
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Evaluation of trickle bed biofilter media for toluene removal, 801
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Ambient air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695
Determination of VOC emission rates and compositions for offset printing, 547
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461
Assessment of ozone exposures in the greater metropolitan Toronto area, 223

Alternative/innovative technologies
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125
Bioventing feasibility assessment and system design using subsurface

oxygen sensors, 762
Exhaust emissions from in-use alternative vehicles, 770
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Ambient air
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923
Assessing ozone-precursor relationships based on a smog production model and ambient data, 20
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Assessment of ozone exposures in the greater metropolitan Toronto area, 223

Ambient concentrations
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Assessment of ozone exposures in the greater metropolitan Toronto area, 223

Ambient air quality standards
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320

Ambient concentrations
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Ambient air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Analytical methods
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Hydrocarbon losses on a regenerated Nafion® dryer, 490
Assessment of ozone exposures in the greater metropolitan Toronto area, 223
Evaluation of VOC emission measurement methods for paint spray booths, 196

Anaerobic treatment
Membrane bioreactor model for removal of organics from wastewater, 615

Arsenic
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

Ash, bottom
Leaching dynamics studies of municipal solid waste incinerator ash, 579

Ash, fly
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Flow injection analysis of MWC fly ash leaching characteristics, 871
Leaching dynamics studies of municipal solid waste incinerator ash, 579

Atmospheric chemistry
Ultraviolet irradiance over Mexico City, 886
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Hydrocarbon losses on a regenerated Nafion® dryer, 490
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Auditing
Statistical analysis of stationary source compliance test audit data, A, 83

Automotive exhaust
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan area, 103
Exhaust emissions from in-use alternative vehicles, 770
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Autothermal pyrolysis
Autothermal pyrolysis of waste tires, The, 855

Bioaerosols
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778

Biofilm
Membrane bioreactor model for removal of organics from wastewater, 615

Biofiltration
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125
Evaluation of trickle bed biofilter media for toluene removal, 801

Bioventing
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Carbon dioxide
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Calculation methods
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Carbon monoxide
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan Area, 103
Evaluation of an intensive sampling and analysis method for carbon monoxide, 29

Catalytic conversion
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Cement kilns
Evaluation of chemical exposures in the hazardous waste industry, 89

CERCLA
Thermal encapsulation of metals in Superfund soils, 514

Characterization
In situ velocity measurements from

an industrial rotary kiln incinerator, 877
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Chromium
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, The, 604

Clean Air Act Amendments
Evaluation of trickle bed biofilter media for toluene removal, 801
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Climate change
Ultraviolet irradiance over Mexico City, 886

Coal tar pitch
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Compliance
Statistical analysis of stationary source compliance test audit data, A, 83
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320
1995 critical review discussion: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 666

Compressed gases
Application of dispersion modeling to indoor gas release scenarios, 191

Contaminated soil
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, The, 604
Thermal encapsulation of metals in Superfund soils, 514
Enzymes for enhancing bioremediation of petroleum contaminated soils: A brief review, 453
Lead removal from foundry waste by solvent extraction, 150

Continuous emission monitoring
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789

Control technologies
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Costs
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Databases
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95

Data collection
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Data quality
Statistical analysis of stationary source compliance test audit data, A, 83

Dioxin-contaminated soil
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Dispersion models
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722
Application of dispersion modeling to indoor gas release scenarios, 191
In situ measurement of hydrochloric acid in rocket exhaust clouds using a remotely piloted aircraft, 981

Electric utilities
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Electrostatic precipitation
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908

Emission controls
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Emission rates
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Determination of VOC emission rates and compositions for offset printing, 547
Development of a sampling system for determining odor emission rates from areal surfaces: Part I. Aerodynamic performance, The, 917
Development of a sampling system for the determination of odor emission rates from areal surfaces: Part II. Mathematical model, The, 989

Emissions
Use of health risk assessment to estimate desirable sampling detection limits, 823
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Emissions, automotive
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Exhaust emissions from in-use alternative vehicles, 770
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465
Estimations of real-world N_2O

emissions from road vehicles by means of measurements in a traffic tunnel, 186

Emissions, carbon monoxide
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Emissions characterization
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Validation of a test method for the measurement of methanol emissions from stationary sources, 3
Exhaust emissions from in-use alternative vehicles, 770
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Determination of VOC emission rates and compositions for offset printing, 547
Emissions of VOCs from a municipal sewer, 395
Evaluation of VOC emission measurement methods for paint spray booths, 196

Emissions reduction
Emissions reductions needed to meet the standard for ozone in southern California: Effect of boundary conditions, 899
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Emissions, fugitive
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722
Emissions of VOCs from a municipal sewer, 395

Emissions, hydrocarbon
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Determination of VOC emission rates and compositions for offset printing, 547
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Energy resource recovery
Autothermal pyrolysis of waste tires, The, 855

Environmental management
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538

Environmental protection
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477
Polymers as solid waste in municipal landfills, 247
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235

Epidemiology
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709

Exposure parameters
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Personal and fixed-site ozone measurements with a passive sampler, 529
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538
Assessment of ozone exposures in the greater metropolitan Toronto area, 223

Flue gases
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Forests
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235

Fuels
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453

Fuels, alternative
Exhaust emissions from in-use alternative vehicles, 770

Gas chromatography
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Gas chromatography-mass spectrometry
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Gasoline
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453

Gas, natural
Exhaust emissions from in-use alternative vehicles, 770
Application of dispersion modeling to indoor gas release scenarios, 191

Groundwater
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12
Polymers as solid waste in municipal landfills, 247

Hazardous air pollutants
Evaluation of chemical exposures in the hazardous waste industry, 89
Use of health risk assessment to

estimate desirable sampling detection limits, 823
Evaluation of trickle bed biofilter media for toluene removal, 801
Determination of VOC emission rates and compositions for offset printing, 547
Emissions of VOCs from a municipal sewer, 395

Hazardous waste
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404
Polymers as solid waste in municipal landfills, 247
Lead removal from foundry waste by solvent extraction, 150

Hazardous waste cleanup
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453

Health effects/risks
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95
Use of health risk assessment to estimate desirable sampling detection limits, 823
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538

Human exposure
Evaluation of chemical exposures in the hazardous waste industry, 89
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris metropolitan area, 103
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surround-ing neighborhood, The, 604
Personal and fixed-site ozone measurements with a passive sampler, 529
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320
1995 critical review discussion: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 666

Hydrocarbons
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan area, 103
Vapor pressure response to denaturant and water in E10 blends, 46
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782
Evaluation of trickle bed biofilter media for toluene removal, 801
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Incineration
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Leaching dynamics studies of municipal solid waste incinerator ash, 579
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538
Thermal encapsulation of metals in Superfund soils, 514

Individual exposure
Personal and fixed-site ozone measurements with a passive sampler, 529

Innovative technologies
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782
Lead removal from foundry waste by solvent extraction, 150

Indoor air pollution
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811

Individual exposure
Evaluation of chemical exposures in the hazardous waste industry, 89

Industrial pollution
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Measurement of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111

Inspection/maintenance
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465

Landfills
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864
Leaching dynamics studies of municipal solid waste incinerator ash, 579
Polymers as solid waste in municipal landfills, 247

Leaching
Leaching dynamics studies of municipal solid waste incinerator ash, 579
Polymers as solid waste in municipal landfills, 247
Lead removal from foundry waste by solvent extraction, 150

Leaking underground storage tanks
Enzymes for enhancing bioremediation

of petroleum-contaminated soils: A brief review, 453

Materials separation
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864

Measurement techniques
In situ velocity measurements from an industrial rotary kiln incinerator, 877
Statistical analysis of stationary source compliance test audit data, A, 83
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320
Air pollution and mortality: Issues and uncertainties, 949
Development of a sampling system for determining odor emission rates from areal surfaces: Part I. Aerodynamic performance, The, 917
Development of a sampling system for the determination of odor emission rates from areal surfaces: Part II. Mathematical model, The, 989
In situ measurement of hydrochloric acid in rocket exhaust clouds using a remotely piloted aircraft, 981

Mercury
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730

Meteorological conditions
Ultraviolet irradiance over Mexico City, 886
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Metropolitan areas
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Mexico City air pollution
Ultraviolet irradiance over Mexico City, 886

Mobile sources
Exhaust emissions from in-use alternative vehicles, 770
Prediction of traffic noise: A screening technique, 703
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Costs of "M" in I/M—Reflections on inspection/maintenance programs, The, 465
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Modeling
In situ velocity measurements from an industrial rotary kiln incinerator, 877
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Prediction of traffic noise: A screening technique, 703
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253
Application of dispersion modeling to indoor gas release scenarios, 191
Air pollution and mortality: Issues and uncertainties, 949
Development of a sampling system for determining odor emission rates from areal surfaces: Part I. Aerodynamic performance, The, 917
Development of a sampling system for the determination of odor emission rates from areal surfaces: Part II. Mathematical model, The, 989

Monitoring
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762
Ambient air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Motor vehicles
Exhaust emissions from in-use alternative vehicles, 770
Prediction of traffic noise: A screening technique, 703
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Application of dispersion modeling to indoor gas release scenarios, 191
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Municipal solid waste
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864
Flow injection analysis of MWC fly ash leaching characteristics, 871
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778
Leaching dynamics studies of municipal solid waste incinerator ash, 579
Wastes of multilayer containers as substrate in composting processes, 156

NAAQS
Issues regarding the ozone air quality standards and the design value, 893
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621

Nitrogen oxides
Statistical analysis of stationary source compliance test audit data, A, 83
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Nonattainment
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Non-methane hydrocarbons
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Emissions of VOCs from a municipal sewer, 395
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Odor
Development of a sampling system for determining odor emission rates from areal surfaces: Part I. Aerodynamic performance, The, 917
Development of a sampling system for the determination of odor emission rates from areal surfaces: Part II. Mathematical model, The, 989

Organic pollutants
Membrane bioreactor model for removal of organics from wastewater, 615

Oxygen sensor
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Ozone
Issues regarding the ozone air quality standards and the design value, 893
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95
Assessing ozone-precursor relationships based on a smog production model and ambient data, 20
Growth response of Bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36
Determining temporal and spatial variations in ozone air quality, 57
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811
Personal and fixed-site ozone measurements with a passive sampler, 529
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235
Observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Ozone formation
Observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Ozone, boundary layer
Ultraviolet irradiance over Mexico City, 886
Emission reductions needed to meet the standard for ozone in southern California: Effect of boundary conditions, 899
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235

Ozone, tropospheric
Issues regarding the ozone air quality standards and the design value, 893
Ultraviolet irradiance over Mexico City, 886
Growth response of Bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36
Personal and fixed-site ozone measurements with a passive sampler, 529
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235

Ozone design value
Issues regarding the ozone air quality standards and the design value, 893

Particles
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
A&WMA's 1995 critical review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320
1995 critical review discussion: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 666
Air pollution and mortality: Issues and uncertainties, 949

Passive samplers
Personal and fixed-site ozone measurements with a passive sampler, 529

Photochemical pollutants
Observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Plant response
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621

Polar organic compounds
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686
Evaluation of VOC emission measurement methods for paint spray booths, 196

Policy decision making
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

Pollutant concentration
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, The, 604
Application of dispersion modeling to indoor gas release scenarios, 191

Pollution control equipment
Model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, A, 908
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Theoretical study of liquid droplet dispersion in a Venturi scrubber, 181

Pollution prevention
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

Polychlorinated dibenzo-p-dioxins
Sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538

Polycyclic aromatic hydrocarbons
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Plasma systems
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Plumes
Application of dispersion modeling to indoor gas release scenarios, 191

PM_{10}
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737
Air pollution and mortality: Issues and uncertainties, 949

Power Plants
PM_{10} source apportionment study in Bullhead City, Arizona, 75
Use of health risk assessment to estimate desirable sampling detection limits, 823
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Recycling
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778
Lead removal from foundry waste by solvent extraction, 150
Wastes of multilayer containers as substrate in composting processes, 156

Remediation
Bench-scale testing of selected remediation alternatives for contaminated sediments, 52
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, The, 604
Thermal encapsulation of metals in Superfund soils, 514
Lead removal from foundry waste by solvent extraction, 150

Research and development
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730

Residences
Effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, The, 604

Resource Conservation and Recovery Act (RCRA)
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404
Polymers as solid waste in municipal landfills, 247

Roadways
Prediction of traffic noise: A screening technique, 703
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Rotary kiln
In situ velocity measurements from an industrial rotary kiln incinerator, 877
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Thermal encapsulation of metals in Superfund soils, 514

Rural sites
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621

Samplers, passive
Personal and fixed-site ozone measurements with a passive sampler, 529
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Sampling
In situ velocity measurements from an industrial rotary kiln incinerator, 877
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864
Evaluation of an intensive sampling and analysis method for carbon monoxide, 29
Use of health risk assessment to estimate desirable sampling detection limits, 823
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Evaluation of VOC emission measurement methods for paint spray booths, 196
Development of a sampling system for determining odor emission rates from areal surfaces: Part I. Aerodynamic performance, The, 917
Development of a sampling system for the determination of odor emission rates from areal surfaces: Part II. Mathematical model, The, 989

Scrubbers
Size and concentration measurements of particles produced in commercial chromium plating processes, 902
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Theoretical study of liquid droplet dispersion in a Venturi scrubber, 181

Seasonal effects
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737

SITE Program demonstration
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Soil
Lead removal from foundry waste by solvent extraction, 150

Soil-gas
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Solid waste
Polymers as solid waste in municipal landfills, 247
Lead removal from foundry waste by solvent extraction, 150

Solvent extraction
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782
Lead removal from foundry waste by solvent extraction, 150

Source apportionment
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Source profiles
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383

Stack height
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722

Stationary sources
Statistical analysis of stationary source compliance test audit data, A, 83
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Sulfur dioxide
Statistical analysis of stationary source compliance test audit data, A, 83

Superfund
Thermal encapsulation of metals in Superfund soils, 514

Superfund Innovative Technology Evaluation (SITE)
Thermal encapsulation of metals in Superfund soils, 514

Technology development
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Temperature
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Thermal treatment
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Thermal encapsulation of metals in Superfund soils, 514

Toxic air pollutants
Statistical analysis of stationary source compliance test audit data, A, 83
Ambient air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709

Toxic gases
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125

Toxic metals
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789
Leaching dynamics studies of municipal solid waste incinerator ash, 579
Thermal encapsulation of metals in Superfund soils, 514
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Toxic wastes
Lead removal from foundry waste by solvent extraction, 150

Toxicology
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95

Tracer techniques
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722

Tracers
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near buildings, 722

Traffic
Exposure of city residens to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan area, 103
Prediction of traffic noise: A screening technique, 703
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Treatment technologies
Lead removal from foundry waste by solvent extraction, 150

Trend analysis
Ambient air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695

Ultraviolet irradiance
Ultraviolet irradiance over Mexico City, 886

Urban areas
Exposure of city residens to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris Metropolitan area, 103
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association International Specialty Conference, 253

U.S. Environmental Protection Agency
Statistical analysis of stationary source compliance test audit data, A, 83
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737

Utilities
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Vapor extraction
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Vapors
Evaluation of chemical exposures in the hazardous waste industry, 89
Application of dispersion modeling to indoor gas release scenarios, 191

Vegetation
Growth response of Bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621
Vanadium contamination of lichens and tree foilage in the vicinity of three oil-fired power plants in eastern Canada, 461

Ventilation
Emissions of VOCs from a municipal sewer, 395
Application of dispersion modeling to indoor gas release scenarios, 191

Volatile organic compounds (VOCs)
Statistical analysis of stationary source compliance test audit date, A, 83
Evaluation of chemical exposures in the hazardous waste industry, 89
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792
Determination of VOC emission rates and compositions for offset printing, 547
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Emissions of VOCs from a municipal sewer, 395
Hydrocarbon losses on a regenerated Nafion® dryer, 490
Evaluation of VOC emission measurement methods for paint spray booths, 196

Waste disposal
Evaluation of chemical exposures in the hazardous waste industry, 89

Waste management
Evaluation of chemical exposures in the hazardous waste industry, 89
Polymers as solid waste in municipal landfills, 247

Waste reduction
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

Waste stream
Sampling protocol for composting, recycling, and re-use of municipal solid waste, A, 864

Waste tires
Autothermal pyrolysis of waste tires, The, 855

Waste treatment
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730
Wastes of multilayer containers as substrate in composting processes, 156

Wastewater
Membrane bioreactor model for removal of organics from wastewater, 615
Emissions of VOCs from a municipal sewer, 395

Wind effects
Relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Wood treating
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

AIR & WASTE MANAGEMENT ASSOCIATION

Since 1907

Author Index

Allen, G.A.
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Anderson, K.R.
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923

Andreasson, K.
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Aneja, V.P.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Apel, E.C.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Arbaugh, M.J.
Growth response of bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36

Bai, H.
A model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, 908

Baldwin, D.P.
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789

Barboza, Michael J.
Prediction of traffic noise: A screening technique, 703

Bernardo-Bricker, Anna
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Biles, Frances E.
Growth response of bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36

Biswas, P.
Evaluation of trickle bed biofilter media for toluene removal, 801

Bliss, P.J.
The development of a sampling system for determining odor emission rates from areal sources: Part 1. Aerodynamic performance, 917

Böhm, M.
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477

Bonin, Michel P.
Size and concentration measurements of particles produced in commercial chromium plating processes, 902

Brauer, Michael
Personal and fixed-site ozone measurements with a passive sampler, 529

Bravo, H.
Ultraviolet irradiance over Mexico City, 886

Brenner, R.C.
Evaluation of trickle bed biofilter media for toluene removal, 801

Broder, I.
Lead removal from foundry waste by solvent extraction, 150

Brook, J. R.
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Personal and fixed-site ozone measurements with a passive sampler, 529

Brooke, R.C.
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Buchholz, B.A.
Leaching dynamics studies of municipal solid waste incinerator ash, 579

Burton, R.M.
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Calvert, J.G.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Cardelino, C.A
An observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Carnes, R.A.
Thermal encapsulation of metals in Superfund soils, 514

Carpenter, S.P.
Prediction of traffic noise: A screening technique, 703

Carroll, Gregory J.
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730

Chameides, W.L.
An observation-based model for analyzing ozone precursor relationships in the urban atmosphere, 161

Chan, C.C.
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Chang, C.L.
A model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, 908

Chang, T.Y.
Assessing ozone-precursor relationships based on a smog production model and ambient data, 20

Chatt, A.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461

Chen, A.S.C.
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

Chess, Karen
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Chock, David P.
Issues regarding the ozone air quality standard and the design value, 893

Chow, Judith C.
A&WMA's 1995 Critical Review: Measurement methods to determine compliance with ambient air quality standards for suspended particles, 320

Chresand, T.J.
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12

Clark, Kenneth W.
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923

Coles, C.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461

Collins, A.R.
A sampling protocol for composting, recycling, and re-use of municipal solid waste, 864

Connor, Teri L.
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383

Conroy, L.M.
Determination of VOC emission rates and compositions for offset printing, 547

Constantinou, E.
The use of health risk assessment to estimate desirable sampling detection limits, 823

Contos, D.A.
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Cook, C.A.
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Cooper, D.A.
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Corsi, R.L.
Emissions of VOCs from a municipal sewer, 395

Costa, D.L.
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95

Coulombe, W.G.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Cullen, Alison C.
The sensitivity of probabilistic risk assessment results to alternative model structures: A case study of municipal waste incineration, 538

Cundy, V.A.
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Dann, Tom F.
Ambient Air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695

Daughtrey, E.H.
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792

Demerjian, K.L.
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Devinney, J.S.
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125

Dewey, G.R.
Flow injection analysis of MWC fly ash leaching characteristics, 871

Diener, R.G.
A sampling protocol for composting, recycling, and re-use of municipal solid waste, 864

Dobbins, D.C.
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12

Dor, F.
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris metropolitan area, 103

D'Silva, A.P.
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789

Elund, B.M.
Evaluation of VOC emission measurement methods for paint spray booths, 196

Fan, Chi-Yuan
Enzymes for enhancing bioremediation of petroleum-contaminated soils: A brief review, 453

Farmer, Charles
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Fencl, M.
The use of health risk assessment to estimate desirable sampling detection limits, 823

Festy, B.
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris metropolitan area, 103

Flores, M.
Ozone regimes in or near forests of the western United States: I. Regional Patterns, 235

Flower, W.L.
Size and concentration measurements of particles produced in commercial chromium plating processes, 902

Fournier, D.J.
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730

Franke, J.E.
Determination of VOC emission rates and compositions for offset printing, 547

Freedman, B.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461

Freeman, N.C.G.
The effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, 604

Frenk, S.
Ultraviolet irradiance over Mexico City, 886

Gabele, Peter
Exhaust emissions from in-use alternative vehicles, 770

Gadgil, A.J.
Effectiveness of smokeless ashtrays, 494

Galindo, Ignacio
Ultraviolet irradiance over Mexico City, 886

Garbaciak, S.
Bench-scale testing of selected remediation alternatives for contaminated sediments, 52

Geogakis, Kyriakos S.
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near building, 722

Gertler, A.W.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Gilliam, Frank S.
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621

Gong, H.
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923

Gong, Qing
Hydrocarbon losses on a regenerated Nafion® dryer, 490

Goodfellow, H.D.
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near building, 722

Gratt, L.
The use of health risk assessment to estimate desirable sampling detection limits, 823

Hagan, J.V.
Polymers as solid waste in municipal landfills, 247

Hamilton, J.D.
Polymers as solid waste in municipal landfills, 247

Heian, G.A.
Thermal encapsulation of metals in Superfund soils, 514

Her, G.
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Highfill, J.W.
Statistical response models for ozone exposure: Their generality when applied to human spirometric and animal permeability functions of the lung, 95

Higgins, G.M.
Evaluation of chemical exposures in the hazardous waste industry, 89

Hodge, D.S.
Formation of acidic and toxic intermediates in overloaded ethanol biofilters, 125

Holcombe, T.C.
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Holdren, M.W.
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Holzbecker, J.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461

Hsu, H.L.
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Ilias, Shamsuddin
Membrane bioreactor model for removal of organics from wastewater, 615

Jakway, Allen, L.
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Jayanty, R.K.M.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Jiang, Kaiyun
The development of a sampling system for determining odor emission rates from areal sources: Part 1. Aerodynamic performance, 917

Juichang, R.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461

Keil, C.B.
Determination of VOC emission rates and compositions for offset printing, 547

Khalil, M.A.K.
Linear least squares method for time series analysis with an application to a methane time series, 62

Knoll, F.W.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Kocher, W.M.
Lead removal from foundry waste by solvent extraction, 150

Koutrakis, P.
Assessment of ozone exposures in the greater metropolitan Toronto area, 223
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811

Krishnamurthy, S.
Enzymes for enhancing

bioremediation of petroleum-contaminated soils: A brief review, 453

Kuklin, Aleksandr
Emission reductions needed to meet the standard for ozone in southern California: Effect of boundary conditions, 899

Kustritz, J.M.
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12

Landsberger, S.
Leaching dynamics studies of municipal solid waste incinerator ash, 579

Lavoie, J.
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778

Lawson, Douglas R.
The costs of "M" in I/M-Reflections on inspection/maintenance programs, 465

Lazure, L.
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778

Leech, J.
Lead removal from foundry waste by solvent extraction, 150

Lees, John N.
Thermal encapsulation of metals in Superfund soils, 514

Le Moullec, Y.
Exposure of city residents to carbon monoxide and monocyclic aromatic hydrocarbons during commuting trips in the Paris metropolitan area, 103

Levin, L.
The use of health risk assessment to estimate desirable sampling detection limits, 823

Li, Dong X.
Bioventing feasibility assessment and system design using subsurface oxygen sensors, 762

Linn, W.S.
Influence of breathing-zone ammonia on human exposures to acid aerosol pollution, 923

Liou, B.H.
The autothermal pyrolysis of waste tires, 855

Lioy, P.J.
The effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, 604

Litvak, A.
Effectiveness of smokeless ashtrays, 494

Liu, L.-J. Sally
Assessment of ozone exposures in the greater metropolitan Toronto area, 223

Lonneman, W.A.
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Lord, W.V.
Polymers as solid waste in municipal landfills, 247

Lowenthal, D.A.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Lu, C.
A model to predict the system performance of an electrostatic precipitator for collecting polydisperse particles, 908

Mage, David T.
The relationship between total suspended particulate matter (TSP) and British smoke measurements in London: Development of a simple model, 737

Mahanama, K.R.R.
Effectiveness of smokeless ashtrays, 494

Marchand, Geneviève
Evaluation of bioaerosols in a municipal solid waste recycling and composting plant, 778

Martin, John H.
A sampling protocol for composting, recycling, and re-use of municipal solid waste, 864

McClenny, William A.
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792

McCune, B.
Ozone regimes in or near forests of the western United States: I. Regional Patterns, 235
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477

McGowan, T.F.
Thermal encapsulation of metals in Superfund soils, 514

Meagher, J.F.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Miller-Leiden, S.
Effectiveness of smokeless ashtrays, 494

Milne, P.
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Mitchell, W.J.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Molleda, J.A.
Wastes of multilayer containers as substrate in composting processes, 156

Montestruc, A.N.
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Moraes, F.P.
Linear least squares method for time series analysis with an application to a methane time series, 62

Moschandreas, D.J.
Measurements of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111

Narros, G.A.
Wastes of multilayer containers as substrate in composting processes, 156

Nazaroff, W.W.
Effectiveness of smokeless ashtrays, 494

Nelson, T.P.
Evaluation of VOC emission measurement methods for paint spray booths, 196

Nesbitt, C.C.
Flow injection analysis of MWC fly ash leaching characteristics, 871

Nien, C.K.
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Nematollahi, M.
Effectiveness of smokeless ashtrays, 494

O'Dea, D.S.
Measurements of perchloroethylene indoor air levels caused by fugitive emissions from unvented dry-to-dry dry cleaning units, 111

Oliver, K.D.
Analysis of VOCs in ambient air using multisorbent packings for VOC accumulation and sample drying, 792

Pate, B.A.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Pedersen B.A.
Evaluation of chemical exposures in the hazardous waste industry, 89

Peltola, J.
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12

Peng, L.W.
Size and concentration measurements of particles produced in commercial chromium plating processes, 902

Peterson, D.L.
Growth response of bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36

Peterson, M.R.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Phadke, A.V.
Lead removal from foundry waste by solvent extraction, 150

Pierson, William R.
Automotive CO emission trends derived from measurements in highway tunnels, 831

Poth, Mark
Growth response of bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36

Preston, J.C.
Pilot-scale demonstration of a two-stage methanotrophic bioreactor for biodegradation of trichloroethylene in groundwater, 12

Pye, J.
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near building, 722

Quigley, Christopher J.
Emissions of VOCs from a municipal sewer, 395

Rainey, M.L.
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Randall, Paul M.
Waste reduction practices at two chromated copper arsenate wood-treating plants, 404

Rao, S.T.
Determining temporal and spatial variations in ozone air quality, 57

Rasouli, F.
Application of dispersion modeling to indoor gas release scenarios, 191

Reinert, K.H.
Polymers as solid waste in municipal landfills, 247

Reiss, Richard
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811

Renzi, R.F.
Size and concentration measurements of particles produced in commercial chromium plating processes, 902

Rhodes, V.L.
Sampling and analysis of volatile organic compounds evolved during thermal processing of acrylonitrile butadiene styrene composite resins, 686

Richards, M.K.
Thermal encapsulation of metals in Superfund soils, 514

Rickman, E.E.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Riemer, D.
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Roche, L.E.
Prediction of traffic noise: A screening technique, 703

Rodgers, M.O.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521

Rodriguez, M.E.
Wastes of multilayer containers as substrate in composting processes, 156

Russell, A.
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Ryan, P.B.
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811

Sandall, J.F.
Flow injection analysis of MWC fly ash leaching characteristics,871

Schimmel, K.A.
Membrane bioreactor model for removal of organics from wastewater, 615

Schulz, T.J.
The development of a sampling system for determining odor emission rates from areal sources: Part 1. aerodynamic performance, 917

Seigneur, Christian
The use of health risk assessment to estimate desirable sampling detection limits, 823

Seila, R.L.
Transportation-related volatile hydrocarbon source profiles measured in Atlanta, 383

Seinfeld, J.H.
Emission reductions needed to meet the standard for ozone in southern California: Effect of boundary conditions, 899

Shah, D.B.
Lead removal from foundry waste by solvent extraction, 150

Scheff, P.A.
Determination of VOC emission rates and compositions for offset printing, 547

Silsbee, David G.
Growth response of bigcone Douglas Fir (*Pseudotsuga macrocarpa*) to long-term ozone exposure in southern California, 36

Sjödin, A.
Estimations of real-world N_2O emissions from road vehicles by means of measurements in a traffic tunnel, 186

Smith, D.L.
Sampling and analysis of volatile organic compounds evolved during thermal processing of

acrylonitrile butadiene styrene composite resins, 686

Smith, F.L.
Evaluation of trickle bed biofilter media for toluene removal, 801

Smith, J.W.
Review and evaluation of models estimating the minimum atmospheric dilution of gases exhausted near building, 722

Solomon, Paul A.
Regional photochemical measurement and modeling studies: A summary of the Air & Waste Management Association international specialty conference, 253

Spengler, J.D.
Exposure to fine particle acidity and sulfate in 24 North American communities: The relationship between single year observations and long-term exposures, 709
Personal and fixed-site ozone measurements with a passive sampler, 529

Sorial, George A.
Evaluation of trickle bed biofilter media for toluene removal, 801

Sterling, A.M.
In situ velocity measurements from an industrial rotary kiln incinerator, 877

Stoneking, C.
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Streib, E.W.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Suh, Helen H.
Spatial variation in acidic sulfate and ammonia concentrations within metropolitan Philadelphia, 442

Suggs, J.C.
PM_{10} source apportionment study in Bullhead City, Arizona, 75

Suidan, M.T.
Evaluation of trickle bed biofilter media for toluene removal, 801

Sutter, L.I.
Flow injection analysis of MWC fly ash leaching characteristics, 871

Suzio, M.J.
Assessing ozone-precursor relationships based on a smog production model and ambient data, 20

Tibbetts, S.J.
Measurement of organic acids, aldehydes, and ketones in residential environments and their relation to ozone, 811

Timberlake, D.L.
Bench-scale testing of selected remediation alternatives for contaminated sediments, 52

Timpe, R.C.
Vapor pressure response to denaturant and water in E10 blends, 46

Thurnau, R.C.
Mercury emissions from a hazardous waste incinerator equipped with a state-of-the-art wet scrubber, 730

Trowbridge, Theodore D.
Refinery sludge treatment/hazardous waste minimization via dehydration and solvent extraction, 782

Tsai, C.Y.
Comparison of tail-pipe emissions from motorcycles and passenger cars, 116

Turrill, N.L.
Temporal patterns of ozone pollution in West Virginia: Implications for high-elevation hardwood forests, 621

Vandetta, T.
Ozone regimes in or near forests of the western United States: I. Regional patterns, 235
Ozone regimes in or near forests of the western United States: Part 2. Factors influencing regional patterns, 477

Wadden, R.A.
Determination of VOC emission rates and compositions for offset printing, 547

Wainman, T.
The effect of remediation of chromium waste sites on chromium levels in urine of children living in the surrounding neighborhood, 604

Wampler, David A.
Effectiveness of smokeless ashtrays, 494

Wang, D.K.
Ambient Air benzene concentrations in Canada (1989-1993): Seasonal and day of week variations, trends, and source influences, 695

Watson, T.B.
Evaluation of an intensive sampling and analysis method for carbon monoxide, 29

Wey, Ming-Yen
The autothermal pyrolysis of waste tires, 855

Whipple, C.
The use of health risk assessment to estimate desirable sampling detection limits, 823

Willemin, John A.
Flow injection analysis of MWC fly ash leaching characteristics, 871

Williams, T.A.
Application of dispersion modeling to indoor gas release scenarios, 191

Wilshire, F.W.
Validation of a test method for the measurement of methanol emissions from stationary sources, 3

Wu, Lawrence
Vapor pressure response to denaturant and water in E10 blends, 46

Yao, S.C.
Plasma versus thermal effects in flue gas NO_x reduction using ammonia radical injection, 627

Zalewsky, E.
Determining temporal and spatial variations in ozone air quality, 57

Zamzow, D.S.
Detection limits for hazardous and radioactive elements in airborne aerosols using inductively coupled air plasma-atomic emission spectrometry, 789

Zhang, C.H.
The autothermal pyrolysis of waste tires, 855

Zika, R.
Hydrocarbon measurements during the 1992 Southern Oxidants Study Atlanta Intensive: Protocol and quality assurance, 521
Validation of speciated nonmethane hydrocarbon compound data collected during the 1992 Atlanta Intensive as part of the Southern Oxidants Study (SOS), 591

Zurbenko, I.G.
Determining temporal and spatial variations in ozone air quality, 57

Zwicker, B.
Vanadium contamination of lichens and tree foliage in the vicinity of three oil-fired power plants in eastern Canada, 461